



Workshop Manual

**Rolls-Royce Silver Shadow
(including Long Wheelbase Saloon)
Rolls-Royce Corniche
Bentley T Series
and Bentley Corniche**

Up to and including car serial number 30000

Wiring Diagrams

Printed in England

© Rolls-Royce Motors Limited 1965

TSD 2476

1965

CONTENTS

		SECTION
Theoretical	R.H.D. cars prior to Serial Number 5000	1
Practical	R.H.D. cars prior to Serial Number 5000	2
Theoretical	R.H.D. cars from Serial Number 5000 to 6000	3
Theoretical	L.H.D. cars from Serial Number 6000 to 9000	4
Practical	L.H.D. cars from Serial Number 6000 to 9000	5
Theoretical	L.H.D. Long Wheelbase cars with Division from Serial Number LRX 6598	6
Practical	L.H.D. Long Wheelbase cars with Division from Serial Number LRX 6598	6
Practical	L.H.D. cars prior to Serial Number 6000	7
Practical	R.H.D. Long Wheelbase cars with Division from Serial Number LRX 6598	8

CONTENTS cont.

R 539

SECTION

Printed in England

September 1972

T.S.D. 2476

Practical	R.H.D. cars from Serial Number 9000	9
Practical	L.H.D. cars from Serial Number 9000	10
Practical	L.H.D. Long Wheelbase cars with Division from Serial Number 9000	11
Practical	R.H.D. and L.H.D. cars Radio Receivers and Stereo Tape Equipment from Serial Number 9000	12
Practical	L.H.D. cars from Serial Number 11882	13
Theoretical	All cars built to 1972 Electrical Specification	14
Theoretical	All cars built to 1973 Electrical Specification	15
Theoretical and practical	Rolls-Royce Silver Shadow and Bentley 'T' series saloons built to August 1975 Electrical Specification	16
Theoretical	Rolls-Royce & Bentley Corniche with Automatic Air Conditioning	17

KEY TO DIAGRAMS

It should be noted that the colours indicated in the table are often combined in pairs e.g. 14GY-C. The number '14' represents the cable size, the cable comprising of 14 strands of wire, each strand being 0.010 in. diameter. The 'GY' indicates that the cable is two colour, Green and Yellow and the 'C' indicates that the cable is cotton covered.

CABLE COLOUR CODE

B = Black S = Slate
 G = Green U = Blue
 N = Brown W = White
 P = Purple Y = Yellow
 R = Red


CABLE SIZES

14 = 14/.010in.
 28 = 28/.012in.
 44 = 44/.012in.
 65 = 65/.012in.
 120 = 120/.012in.



CABLE TYPE

'C' denotes cotton covered cable
 'P' denotes plastic covered cable

EXAMPLE



CONNECTION DETAILS



Section 1

RIGHT-HAND DRIVE CARS PRIOR TO SERIAL NUMBER 5000

APPLICATION

SHEET No

Theoretical

1

Theoretical

2

THEORETICAL WIRING DIAGRAM



SHEET 1


ROLLS-ROYCE SILVER SHADOW AND BENTLEY T SERIES 4-DOOR SALOONS

TSD Publication 2218

© Rolls-Royce Limited (1966)

Rolls-Royce policy is one of continuous engineering improvement and the right is reserved to revise the contents of this publication without prior notice.





KEY TO CABLE COLOURS

B—BLACK, N—BROWN,
 R—RED, P—PURPLE, U—BLUE,
 G—GREEN, Y—YELLOW, W—WHITE.
 FIRST COLOUR AS BASE, SECOND
 COLOUR AS TRACER
 SUFFIX C DENOTES COTTON COVERED
 CABLE, SUFFIX P DENOTES PLASTIC
 COVERED CABLE.
 EG. WB-P IS WHITE WITH BLACK
 TRACER PLASTIC COVERED CABLE.

THEORETICAL WIRING DIAGRAM

SHEET 2


**ADDITIONAL AND ALTERNATIVE CIRCUITS
TO SHEET 1**


**ROLLS-ROYCE SILVER SHADOW
AND
BENTLEY T SERIES
4-DOOR SALOONS**


TSD Publication 2218

© Rolls-Royce Limited (1967)

**Rolls-Royce policy is one of continuous engineering
improvement and the right is reserved to revise the
contents of this publication without prior notice.**







Section 2

RIGHT-HAND DRIVE CARS PRIOR TO SERIAL NUMBER 5000

APPLICATION	SHEET No
Charging, Starter and Distribution	1
Engine and Instruments	2
Lighting	3
Direction Indicators and Handbrake Warning Lamp	4
Electrically Operated Windows	5
Electrically Operated Seats	6
Gear Range Selector	7
Air Conditioning Unit (A.C.U.)	8
Radio Receiver and Speakers	9
Interior Lighting	10

SHEET 1

CHARGING, STARTER AND DISTRIBUTION


R.H. DRIVE CARS


FIRST EDITION




T.S.D. Publication 2432

© *Rolls-Royce Limited, 1967*

(E) — 28 B-C — R. H. VALANCE EARTH POINT R. H. VALANCE LOOM







SWITCHBOX FUNCTIONS	
(+) (2)	FEED
(3)	'ON' WITH IGNITION AND 'PICNIC'
(4)	HEADLAMPS
(5)	SIDELAMPS
(6)	FEED FOR FOGLAMPS
(7)	FOGLAMPS
(8)	IGNITION
(10)	STARTER
(11) (12)	'IGNITION' CONTROL-ELECTRIC WINDOW LIFT

SHEET 2

ENGINE AND INSTRUMENTS

R.H. DRIVE CARS

FIRST EDITION

T.S.D. Publication 2432

© *Rolls-Royce Limited, 1967*

Printed in England

October 1967

T.J.D. 2432

