



THIS SAFETY ALERT SYMBOL INDICATES IMPORTANT SAFETY MESSAGES IN THIS MANUAL. WHEN YOU SEE THIS SYMBOL, CAREFULLY READ THE MESSAGE THAT FOLLOWS AND BE ALERT TO THE POSSIBILITY OF DEATH OR SERIOUS INJURY.

M171D

Safety Decals on this machine use the words **Danger**, **Warning**, **or Caution**, which are defined as follows:

- **DANGER:** Indicates an immediate hazardous situation which if not avoided, will result in death or serious injury. The color associated with Danger is RED.
- WARNING: Indicates an potentially hazardous situation which if not avoided, will result in serious injury. The color associated with Warning is ORANGE.
- CAUTION: Indicates an potentially hazardous situation that if not avoided, may result in minor or moderate injury. It may also be used to alert against unsafe practices. The color associated with Caution is YELLOW.



IMPROPER OPERATION OF THIS MACHINE CAN CAUSE DEATH OR SERIOUS INJURY. BEFORE USING THIS MACHINE, MAKE CERTAIN THAT EVERY OPERATOR:

- Is instructed in safe and proper use of the machine.
- Reads and understands the Manual(s) pertaining to the machine.
- Reads and understands ALL Safety Decals on the machine.
- Clears the area of other persons.
- Learns and practices safe use of machine controls in a safe, clear area before operating this machine on a job site.

It is your responsibility to observe pertinent laws and regulations and follow Case Corporation instructions on machine operation and maintenance.

Copyright © 2002 Case Corporation All Rights Reserved

Bur 6-8911 February 2002

TABLE OF CONTENTS

TO THE OWNER			
REGULATIONS 2			
AFTER DELIVERY CHECK			
RIGHT, LEFT, FRONT AND REAR SIDES			
OF THE MACHINE			
IDENTIFICATION NUMBERS 4			
MACHINE COMPONENTS			
SAFETY/DECALS/HAND SIGNALS 9			
SAFETY RULES 9			
BEFORE OPERATION10			
MACHINE OPERATION11			
PARKING THE MACHINE			
FIRE EXTINGUISHER			
BURN PREVENTION			
HAZARDOUS CHEMICALS			
FIRE OR EXPLOSION PREVENTION			
MAINTENANCE			
DUCTILE IRON			
SAFETY DECALS			
HAND SIGNALS			
TIAND SIGNALS			
INSTRUMENTS/CONTROLS			
INSTRUMENTS/CONTROLS 25			
INSTRUMENTS/CONTROLS			
INSTRUMENT PANEL 25 - 32			
INSTRUMENT PANEL			
INSTRUMENT PANEL 25 - 32 TRANSMISSION CONTROLS, ENGINE HAND THROTTLE AND HORN BUTTON 33 - 34 TRANSMISSION CONTROL, NEUTRAL LOCK/PARKING BRAKE CONTROL 35 OPTIONAL TRANSMISSION CONTROL 36 BACK-UP ALARM 36 FOOT THROTTLE, STEERING AND BRAKE PEDAL 37 DECELERATOR 38 TRANSMISSION RANGE SHIFT PEDALS 38			
INSTRUMENT PANEL 25 - 32 TRANSMISSION CONTROLS, ENGINE HAND THROTTLE AND HORN BUTTON 33 - 34 TRANSMISSION CONTROL, NEUTRAL LOCK/PARKING BRAKE CONTROL 35 OPTIONAL TRANSMISSION CONTROL 36 BACK-UP ALARM 36 FOOT THROTTLE, STEERING AND BRAKE PEDAL 37 DECELERATOR 38 TRANSMISSION RANGE SHIFT PEDALS 38 DOZER BLADE CONTROL LEVER 39 - 40			
INSTRUMENT PANEL 25 - 32 TRANSMISSION CONTROLS, ENGINE HAND THROTTLE AND HORN BUTTON 33 - 34 TRANSMISSION CONTROL, NEUTRAL LOCK/PARKING BRAKE CONTROL 35 OPTIONAL TRANSMISSION CONTROL 36 BACK-UP ALARM 36 FOOT THROTTLE, STEERING AND BRAKE PEDAL 37 DECELERATOR 38 TRANSMISSION RANGE SHIFT PEDALS 38 DOZER BLADE CONTROL LEVER 39 - 40 RIPPER CONTROL LEVER 42			
INSTRUMENT PANEL 25 - 32 TRANSMISSION CONTROLS, ENGINE HAND THROTTLE AND HORN BUTTON 33 - 34 TRANSMISSION CONTROL, NEUTRAL LOCK/PARKING BRAKE CONTROL 35 OPTIONAL TRANSMISSION CONTROL 36 BACK-UP ALARM 36 FOOT THROTTLE, STEERING AND BRAKE PEDAL 37 DECELERATOR 38 TRANSMISSION RANGE SHIFT PEDALS 38 DOZER BLADE CONTROL LEVER 39 - 40 RIPPER CONTROL LEVER 42 OPERATORS SEAT 43			
INSTRUMENT PANEL 25 - 32 TRANSMISSION CONTROLS, ENGINE HAND THROTTLE AND HORN BUTTON 33 - 34 TRANSMISSION CONTROL, NEUTRAL LOCK/PARKING BRAKE CONTROL 35 OPTIONAL TRANSMISSION CONTROL 36 BACK-UP ALARM 36 FOOT THROTTLE, STEERING AND BRAKE PEDAL 37 DECELERATOR 38 TRANSMISSION RANGE SHIFT PEDALS 38 DOZER BLADE CONTROL LEVER 39 - 40 RIPPER CONTROL LEVER 42			
INSTRUMENT PANEL 25 - 32 TRANSMISSION CONTROLS, ENGINE HAND THROTTLE AND HORN BUTTON 33 - 34 TRANSMISSION CONTROL, NEUTRAL LOCK/PARKING BRAKE CONTROL 35 OPTIONAL TRANSMISSION CONTROL 36 BACK-UP ALARM 36 FOOT THROTTLE, STEERING AND BRAKE PEDAL 37 DECELERATOR 38 TRANSMISSION RANGE SHIFT PEDALS 38 DOZER BLADE CONTROL LEVER 39 - 40 RIPPER CONTROL LEVER 42 OPERATORS SEAT 43 OPERATORS SEAT BELT 45			
INSTRUMENT PANEL 25 - 32 TRANSMISSION CONTROLS, ENGINE HAND THROTTLE AND HORN BUTTON 33 - 34 TRANSMISSION CONTROL, 35 OPTIONAL TRANSMISSION CONTROL 36 BACK-UP ALARM 36 FOOT THROTTLE, STEERING AND BRAKE PEDAL 37 DECELERATOR 38 TRANSMISSION RANGE SHIFT PEDALS 38 DOZER BLADE CONTROL LEVER 39 - 40 RIPPER CONTROL LEVER 42 OPERATORS SEAT 43 OPERATORS SEAT BELT 45			
INSTRUMENT PANEL 25 - 32 TRANSMISSION CONTROLS, ENGINE HAND THROTTLE AND HORN BUTTON 33 - 34 TRANSMISSION CONTROL, 35 OPTIONAL TRANSMISSION CONTROL 36 BACK-UP ALARM 36 FOOT THROTTLE, STEERING AND BRAKE PEDAL 37 DECELERATOR 38 TRANSMISSION RANGE SHIFT PEDALS 38 DOZER BLADE CONTROL LEVER 39 - 40 RIPPER CONTROL LEVER 42 OPERATORS SEAT 43 OPERATORS SEAT BELT 45 OPERATING INSTRUCTIONS 47 RUN-IN PERIOD OF A NEW MACHINE 47			
INSTRUMENT PANEL 25 - 32 TRANSMISSION CONTROLS, ENGINE HAND THROTTLE AND HORN BUTTON 33 - 34 TRANSMISSION CONTROL, 35 OPTIONAL TRANSMISSION CONTROL 36 BACK-UP ALARM 36 FOOT THROTTLE, STEERING AND BRAKE PEDAL 37 DECELERATOR 38 TRANSMISSION RANGE SHIFT PEDALS 38 DOZER BLADE CONTROL LEVER 39 - 40 RIPPER CONTROL LEVER 42 OPERATORS SEAT 43 OPERATORS SEAT BELT 45 OPERATING INSTRUCTIONS 47 RUN-IN PERIOD OF A NEW MACHINE 47 ENGINE OPERATION 48			
INSTRUMENT PANEL 25 - 32 TRANSMISSION CONTROLS, ENGINE HAND THROTTLE AND HORN BUTTON 33 - 34 TRANSMISSION CONTROL, 35 OPTIONAL TRANSMISSION CONTROL 36 BACK-UP ALARM 36 FOOT THROTTLE, STEERING AND BRAKE PEDAL 37 DECELERATOR 38 TRANSMISSION RANGE SHIFT PEDALS 38 DOZER BLADE CONTROL LEVER 39 - 40 RIPPER CONTROL LEVER 42 OPERATORS SEAT 43 OPERATORS SEAT BELT 45 OPERATING INSTRUCTIONS 47 RUN-IN PERIOD OF A NEW MACHINE 47			

OPERATING INSTRUCTIONS

	OPERATING IN HOT WEATHER 59 OPERATING IN COLD WEATHER 60
	BOOSTER BATTERY CONNECTION
	TO MACHINE BATTERY 64
	DOZER OPERATION
	RIPPER OPERATING TIPS
	TRACK SYSTEMS
	VANDAL LOCKUP 88 BLADE LIFT EYE 88
	DLADE LIFT EYE 88
	LUBRICATION/FILTERS/FLUIDS
	GENERAL SAFETY BEFORE YOU SERVICE
	SYSTEMGARD LUBRICATION ANALYSIS PROGRAM 90
	ENGINE HOURMETER 91
	FLUIDS AND LUBRICANTS
	LUBRICATION/MAINTENANCE CHART 93 - 94
	GREASE FITTINGS
	ACCESS DOORS
3	ENGINE LUBRICATION
\$	ENGINE SERVICE
<u> </u>	AIR FILTER SYSTEM 103
5	ENGINE COOLING SYSTEM
7	DIESEL FUEL SYSTEM 110
3	HYDRAULIC SYSTEM 114
1	TRANSMISSION 118
	FINAL DRIVES
	MAINTENANCE/ADJUSTMENTS 123
	ETHER STARTING FLUID
	TRANSMISSION CONTROL LEVER ADJUSTMENT 124
	REVERSIBLE FAN POSITIONS (If Equipped)
	ROLL-OVER PROTECTIVE STRUCTURE
	BRAKE WEAR CHECK
	SPARK ARRESTER MUFFLER (If Equipped)
	MACHINE CLEANING
	DOZER BLADE PITCH ADJUSTMENT
	ELECTRICAL SYSTEM
	BATTERY SERVICE
	WORK LAMPS
	WARNING LAMPS
	FUSES
	ACCESSORY OUTLET 139

OPERATING INSTRUCTIONS

S	TORAGE MACHINE STORAGE	
	REMOVAL FROM STORAGE	142
SI	PECIFICATIONS	143
	ENGINE SPECIFICATIONS	143
	TRAVEL SPEEDS	144
	HYDRAULIC SYSTEM	144
	TRACK SYSTEM	145
	OPERATING DATA AND DIMENSIONS - LONG TRACK (LT) AND RUBB	
	TRACK CRAWLERS	146
	OPERATING DATA AND DIMENSIONS -	
	WIDE TRACK (WT) CRAWLERS	
	OPERATING DATA AND DIMENSIONS - LOW GROUND PRESSURE (Le	
	CRAWLERS	
	OPERATING DATA AND DIMENSIONS - RIPPER	
	WEIGHTS	
	AFTER DELIVERY CHECK	161
	AETED DELIVEDY CHECK	162

NOTES

TO THE OWNER



BD99J225

This manual contains important information about the safe operation, adjustment and maintenance of your Case Crawler. Refer to the Detail Index at the end of this manual for locating specific items about your machine. The Crawler conforms to current safety regulations.


Use this manual as a guide. Your Crawler will remain a reliable working tool as long as it is kept in good working condition and serviced properly.

Do Not operate or permit anyone to operate or service this machine until you or the other persons have read and understand the safety, operation and maintenance instructions in this manual. Use only trained operators who have demonstrated the ability to operate and service this machine correctly and safely.

This Crawler, with standard equipment and authorized attachments, is intended to be used for above ground material handling. This machine is not intended to be used for towing other equipment or transporting loads at high speeds.

Do Not use this machine for any application or purpose other than those described in this manual. Consult an authorized dealer of the Case Corporation on changes, additions or modifications that can be required for this machine to comply with various country regulations and safety requirments. Unauthorized modifications will cause serious injury or death. Anyone making such unauthorized modifications is responsible for the consequences.

This Operators Manual is to be stored in the manual compartment equipped on this machine, Make sure this manual is complete and in good condition. Contact your dealer to obtain additional manuals. Contact your dealer for any further information or assistance about your machine. Your dealer has Case Corporation approved service parts. Your dealer has technicians with special training that know the best methods of repair and maintenance for your Crawler.



A25808

REGULATIONS

Local, state and national laws may regulate the disposal of various service fluids used in this equipment, such as but not limited to oils, hydraulic, battery and transmission fluids. You should be aware of and comply with any pertinent regulations in order to insure safe and proper handling and disposal of any regulated fluids.

AFTER DELIVERY CHECK


Two copies of the After Delivery Check are in the back of this manual. One copy is for you and one copy is for the dealer. Make sure that your dealer does the After Delivery Check after the first 20 hours of machine operation.

NOTE: Your cost for this check will be for filters, oil, or other accessories. If the dealer comes to your machine, there can also be a cost for the time and distance.

RIGHT, LEFT, FRONT AND REAR SIDES OF THE MACHINE

Right-hand and left-hand, when used in this manual, indicate the right and left sides of the machine as seen from the operators seat.

Basic Machine, Dozer and Ripper



B830800J

TO THE OWNER

IDENTIFICATION NUMBERS

Write your machine model number, Product Identification Number (P.I.N.) and serial numbers on the lines provided below. If needed, give these numbers to your dealer when you need parts or information for your machine.

Make a record of the numbers. Keep the record and your Manufacturer's Statement of Origin in a safe place. If the machine is stolen, report the numbers to your local law enforcement agency.

MACHINE MODEL NUMBER

PRODUCT IDENTIFICATION NUMBER

ENGINE SERIAL NUMBER


TRANSMISSION SERIAL NUMBER

TORQUE CONVERTER SERIAL NUMBER


ROPS CANOPY SERIAL NUMBER

OTHER

Product Identification Number (P.I.N.)



Engine



BD99J164

TRIM THIS EDGE