



W60-W70

WHEEL LOADER

TECHNICAL HANDBOOK

High Travel Speed Option

Print No. 604.13.348 Edition 04/04

W60-W70

WHEEL LOADER

Technical Handbook

Print No. 604.13.348 English
IV - 2004



THIS ALERT SYMBOL SIGNALS IMPORTANT MESSAGES INVOLVING YOUR SAFETY.

Read and heed carefully the safety instructions listed and follow the precautions recommended to avoid potential risks and to safeguard your health and your safety.

You will find this symbol in the text of this Manual referred to the following key words:

WARNING - Cautions directed to avoid improper repair interventions involving potential consequences for the safety of the personnel performing the repairs.

DANGER - These warnings qualify specifically potential dangers for the safety of the operator or other persons directly or indirectly involved.

IMPORTANT NOTICE

All maintenance and repair interventions explained in this Manual **must be performed exclusively by the Service Organisation of the Manufacturer**, observing strictly the instructions explained using, whenever necessary, the recommended specific tools.

Whoever performs the operations reported without following exactly the precautions is responsible on his own, for the damages that may result.

Neither the Factory nor any Organisations in its Distribution Network, including but not limited to national, regional or local distributors, are responsible for any liability arising from any damage resulting from defects caused by parts and/or components not approved by the Factory for use in maintaining and/or repairing products manufactured or merchandised by the Factory.

In any case, no warranty of any kind is made or shall be imposed with respect to products manufactured or merchandised by the Factory, when failures are caused by the use of parts and/or components not approved by the Factory.

AVOID ACCIDENTS

Most accidents, whether they occur in industry, on the farm, at home or on the road, are caused by the failure of some individuals to follow simple and fundamental safety rules and precautions. For this reason **MOST ACCIDENTS CAN BE PREVENTED** by recognising the real cause and doing something about it before the accident occurs.

Regardless of the care used in the design and construction of any type of equipment, there are many conditions that cannot be completely safeguarded against without interfering in the reasonable accessibility and efficient operation.

A careful operator is the best insurance against an accident. The complete observance of one simple rule would prevent many serious accidents.

The rule is simple: never attempt to clean, lubricate or maintain a machine while it is in motion.



WARNING

Prior to engaging in any maintenance, adjustment or repair operation on machines having hydraulically, mechanically, and/or cable controlled equipment (such as shovels, loaders, dozers, excavators etc.) be certain the equipment is lowered to the ground.

If it is necessary to have the equipment partially or fully raised to gain access to certain items, be sure the equipment is suitably supported by means other than the devices used for controlling the equipment.

CONTENTS

TECHNICAL DATA	1
GENERALITIES	2
OPERATION	4
Standard Travel speed Function (Speed at initial start-up) on units without High Travel Speed option and units equipped with the High Travel Speed option (HTS) operating in the standard (working) speed mode.....	4
Low Travel Speed Function (Crawl Speed)	6
High Travel Speed (HTS) Option Function (2 Speed)	8
MECHANICAL COMPONENTS.....	11
HYDROSTATIC COMPONENTS	12
HYDRAULIC DIAGRAMS	14
Hydraulic diagram (Standard version) for W60 P/N 4550159/1	14
Hydraulic diagram (Version with options) for W60 P/N 4550159/2.....	16
Hydraulic diagram (Standard version) for W70 P/N 4550089/1	18
Hydraulic diagram (Version with options) for W70 P/N 4550089/2.....	20
ELECTRICAL SYSTEM.....	23
Wiring diagrams, P/N 3 004 840	23