


# Engine Management Gasoline 1



Copyright by KIA Motor Company. All rights reserved.

**KIA** KIA MOTORS

*The Power to Surprise™*

---

## Index

<b>Subject</b>	<b>Page</b>
Development steps of engine control	3
Basics about combustion	4
Influence of mixture composition	5
Mixture control	7
Control unit	8
Subsections of the engine control system	9
Fuel delivery overview	10
Fuel pump	11
Fuel pump control	13
Delivery pipe and pressure regulator	14
Return-less fuel system	16
Injectors	17
Air induction overview	18
Intake air chamber and manifold	19
ISC system	20
ETC throttle body	21
ETC block diagram	22
Variable intake system	23
CVVT control	26
CVVT system mapping	27
Emission control	28
ECM control of injection duration	30
Fuel injection correction	32
Starting and engine warm up control	33
Acceleration and deceleration condition	34
Injection mode and timing	35
Ignition system overview	36
Essential components	37
Advance and dwell angle control	38
Spark advance strategy	39
Basic ignition advance angle	40
Timing correction	41
Over temperature correction	42
Knock control and ionic current detection	43
Diagnosis functions	44

## Development steps of engine control








Fig.TT1-1

The requirements for safety, convenience, economy, and environmental protection have increased continuously, which required an improvement of the related technology. Looking at the engine control system in the beginning the control was made by mechanical means, such as the carburetor and the mechanical distributor. With these systems it was very difficult to acquire optimal engine efficiency with simultaneously satisfying emission control regulations. The next development stages were mechanical fuel injection systems such as so called the K- Jetronic from Bosch, followed by the first electronically controlled systems such as the L Jetronic also from Bosch. Some systems applied only one centralized injector, but usually the latest EMS system uses independent injectors, which can be controlled individually. The systems maintain the optimum conditions for fuel and air intake rate as well as ignition timing in order to provide the required torque and power and keeping the emissions low at the same time. The EMS systems nowadays consist of various sensors detecting the operating conditions of the engine, actuators which are used to influence the operating conditions accordingly, both processed by an electronic device, the control unit. The control unit is processing the data acquired by the sensors in order to determine the best operating conditions and then drives the actuators accordingly. Let's start with the basic engine operation to understand the control requirements precisely.

## Basics about combustion



The gasoline engine is a combustion engine with externally supplied ignition. It has usually a mixture formation system located outside the combustion chamber to form an air-fuel mixture. The injectors are installed in the intake manifold and inject the fuel right in front of the intake valve (port injection), where it mixes with the air. As the piston descends, the mixture is drawn into the combustion chamber. Then it is compressed as the piston moves upward. Next it is ignited by the spark plug to start the combustion. The heat released in the combustion process raises the pressure within the cylinder, so that the piston is pushed down, thereby delivering the engine output. When the piston moves up again the burned gases are pushed out and the process restarts. Let's have a closer look at the combustion stroke: within a perfect combustion the hydrocarbons in the gasoline react with the oxygen contained in the fuel air mixture to form water vapor (H<sub>2</sub>O) and carbon dioxide (CO<sub>2</sub>). Unfortunately the combustion in the engine is not perfect, so that the exhaust gas contains harmful ingredients such as for example HC and CO. Furthermore: under certain engine operating conditions, the nitrogen contained the air also reacts with the oxygen to nitrogen oxides (NO<sub>x</sub>), which are poisonous (gas) . Therefore the amount of NO<sub>x</sub> and the other harmful components contained in the exhaust gas must be reduced by appropriate counter measures. To reach this many reduction, many countermeasures where implemented where the most important one is the three way catalyst, but there are others as well as you will notice during the course.