



Spare Parts Catalog

9 S 1115 TD

Material number: 1324.032.007



Pos.	Information	Amendment number
001	Use case -----	
002	Customer Hino Motors Ltd.	
003	City Hino	
004	DUNS 69-053-6503	
005	Vehicle / Apparatus -----	
006	Sales Name FM8J	
007	Manufacturer Hino Motors Ltd.	
008	Engineering Name	
009	Product Use TRUCK	
010	Vehicle/Hardware Type DUMPER	
011	SOP	
012	Engine	
013	Sales Designation J80E-TI	
014	Manufacturer Hino Motors Ltd.	
015	Drivetrain type DIESEL	
016	Eng.Displ. cm3	
017	Cylinder	
018	Nom. power 191 kW	
019	RPM at nom. power 2500 1/min	
020	Nom. torque 745 Nm	
021	RPM at nom. torque 1500 1/min	
022	Classification use case -----	
023	DESIGNATION, CLUTCH 380	
024	MANUFACTURER, CLUTCH EXEDY	
025	TOTAL NUMBER OF GEARS 6	
026	NUMBER OF DRIVING GEARS 4	
027	DYNAMIC TYRE RADIUS 520 mm	
028	REAR AXLE RATIO 5,2	
030	INERTIA TORQUE ,064 kg/m2	
032	PERMISS.GROSS VEHICLE WEIGHT 40 t	



Pos.	Information	Amendment number
034	APPROVAL NOTE 1 FIRST FITTING CHECK CARR.OUT	
035	APPLICATION OF THE PRODUCT INDONESIEN	
037	Use case -----	
038	Customer Hino Motors Ltd.	
039	City Hino	
040	DUNS 69-053-6503	
041	Vehicle / Apparatus -----	
042	Sales Name FL8J	
043	Manufacturer Hino Motors Ltd.	
044	Engineering Name	
045	Product Use TRUCK	
046	Vehicle/Hardware Type TRANSPORTER	
047	SOP	
048	Engine	
049	Sales Designation J80E-TI	
050	Manufacturer Hino Motors Ltd.	
051	Drivetrain type DIESEL	
052	Eng.Displ. cm3	
053	Cylinder	
054	Nom. power 191 kW	
055	RPM at nom. power 2500 1/min	
056	Nom. torque 745 Nm	
057	RPM at nom. torque 1500 1/min	
058	Classification use case -----	
059	DESIGNATION, CLUTCH 380	
060	MANUFACTURER, CLUTCH EXEDY	
061	TOTAL NUMBER OF GEARS 6	
062	NUMBER OF DRIVING GEARS 2	
063	DYNAMIC TYRE RADIUS 523 mm	
064	REAR AXLE RATIO 4,625	



Pos.	Information	Amendment number
066	INERTIA TORQUE ,064 kg/m2	
068	PERMISS.GROSS VEHICLE WEIGHT 40 t	
070	APPROVAL NOTE 1 FIRST FITTING CHECK CARR.OUT	
071	APPLICATION OF THE PRODUCT THAILAND	
073	Use case -----	
074	Customer Hino Motors Ltd.	
075	City Hino	
076	DUNS 69-053-6503	
077	Vehicle / Apparatus -----	
078	Sales Name FM8J	
079	Manufacturer Hino Motors Ltd.	
080	Engineering Name	
081	Product Use TRUCK	
082	Vehicle/Hardware Type ROAD TRACTOR	
083	SOP	
084	Engine	
085	Sales Designation J80E-TI	
086	Manufacturer Hino Motors Ltd.	
087	Drivetrain type DIESEL	
088	Eng.Displ. cm3	
089	Cylinder	
090	Nom. power 191 kW	
091	RPM at nom. power 2500 1/min	
092	Nom. torque 745 Nm	
093	RPM at nom. torque 1500 1/min	
094	Classification use case -----	
095	DESIGNATION, CLUTCH 380	
096	MANUFACTURER, CLUTCH EXEDY	
097	TOTAL NUMBER OF GEARS 6	
098	NUMBER OF DRIVING GEARS 4	



Pos.	Information	Amendment number
099	DYNAMIC TYRE RADIUS 523 mm	
100	REAR AXLE RATIO 4,875	
102	INERTIA TORQUE ,064 kg/m2	
104	PERMISS.GROSS VEHICLE WEIGHT 45 t	
106	APPROVAL NOTE 1 FIRST FITTING CHECK CARR.OUT	
107	APPLICATION OF THE PRODUCT THAILAND	
109	Product description -----	
110	AUSFUEHRUNG PTO J32 NH 1 B	
111	UEBERSETZUNGSREIHE J32 SG	
114	SCHALTUNGSART PTO J32 PNEUMATIC INTEGRATED	
115	LAGE PTO J32 CENTRAL	
116	LAGE SCHALTER PTO J32 X	
117	OUTPUT SPEED PTO(X N-MOTOR)J32 ,77	
118	D-AUSSEN PTO ABTR.FLANSCH J32 85 mm	
119	ANZAHL BOHR PTO FLANSCH J32 4	
120	D-BOHRUNG PTO ABTR.FLANSCH J32 8,5 mm	
121	FUNKTION PTO SCHALTER J32 PTO	
122	AUSFUEHRUNG PTO SCHALTER J32 CLOSING	
123	SCHUTZKAPPE PTO SCHALTER J32 y	
124	AUS ANSCH PTO SCHALT J32K10K32 DIN BAYONET	
125	OIL CAPACITY, GEARBOX 8,8 dm3	
126	OIL GRADE PERMISSIBLE ACC. TO TE-ML02	
127	COLOR NOT	
130	CODING OUTER CONSERVATION KA2	
131	SCOPE OUTER CONSERVATION T	
132	CODING INNER CONSERVATION KI1	
133	CODIERUNG STOPFENANZAHL	
134	CONSERVATION SPECIFICATION ZFN 916	
135	Documents -----	
136	Alias ID -----	

Zf Ecomid 9s1115 Td 1324 032 007 Hino Fm260 Spare Parts Catalog

Full download: <http://manualplace.com/download/zf-ecomid-9s1115-td-1324-032-007-hino-fm260-spare-parts-catalog/>

Technical Cover
Page 5 from 5

Material number: 1324.032.007 9 S 1115 TD /



Pos.	Information	Amendment number
137	Hino Motors Ltd. 33110-E0L30	

This is the cut pages sample. Download all 69 page(s) at: ManualPlace.com